

**Electrical Specifications**

- Frequency Range      4900 MHz ~5850MHz
- Gain                      13 dBi
- Polarization            Vertical and Horizontal
- Horizontal Beamwidth  360°
- Vertical Beamwidth     7°
- Downtilt                1°
- VSWR                    2.0
- Impedance              50 Ω
- Lightning Protection   Direct Ground

**Environmental and Mechanical Specifications**


- Temperature            -55 °C to +70 °C
- Humidity                95%(Non-Condensing)
- Wind Loading          Up to 200 km/h
- IP Rating                55
- Radome Color          White
- Radome Material      ABS+PC, UV Resistant
- Weight                  3kg
- Dimensions            90 x Ø7cm
- Connector              2 X RP-SMA
- Mounting                Pole mount

**Product Picture**




**Antenna Patterns**

H-plane Co-polarization



V-plane Co-polarization



**Product Ordering Information**

**5 GHz 13 dBi Omni Antenna**

(Part No.: SD.AN-5M13-00)

- Pole Mount Accessories

**Contact Us**

- Email: [sales@altaitechnologies.com](mailto:sales@altaitechnologies.com)

*Although Altai has attempted to provide accurate information in these materials, Altai assumes no legal liability for the accuracy and completeness of the information. All specifications are subject to change without notice.*